

120 Watt Pure Sine Wave Inverter SLI-PST-120-12

This high efficiency DC-AC inverter converts 12 Volts DC to 120 watts of pure sine-wave AC power at 120 Volts, 60 Hz. Product features a slim, low-profile design, quiet operation and a USB charging port for peripheral electronics. Electrical features include overload protection, low battery alarm / shut down, external, replaceable fuse and low idle power draw of less than 0.5 Amps. Safety listed by ETL, this device is approved for use in hospitals and applications requiring UL60601 compliance. The unit comes with a cigarette lighter cord-set with plug.

[Product Manual](#)

[Samlex Specifications](#)

150 Watt Pure Sine Wave Inverter SLI-PST-15S-12A

This high efficiency DC-AC inverter converts 12 Volts DC to 150 watts of pure sine-wave AC power at 120 Volts, 60 Hz. The unit comes with a cigarette lighter plug. Features include overload protection, low battery alarm / shut down, low idle power draw of less than 0.5 Amps. AC power is available from a single NEMA 5-15R receptacle on the front panel.

[Product Manual](#)

[Product Specifications](#)

300 Watt Pure Sine Wave Inverter SLI-PST-300-12

This high efficiency DC-AC inverter converts 12 Volts DC to 300 Watts of pure sine-wave AC power at 120 Volts, 60 Hz. The unit comes with detachable cable with 12V plug adaptor and cable with battery clamps. Features include overload protection, low battery alarm / shut down, low idle power draw of less than 0.5 Amps. AC power is available from a NEMA-20R GFCI duplex outlet on the front panel. Safety certified to UL standards.

[Product Manual](#)

[Product Specifications](#)

600 Watt Pure Sine Wave Inverter SLI-PST-600-12

This high efficiency DC-AC inverter converts 12 Volts DC to 600 Watts of pure sine-wave AC power at 120 Volts, 60 Hz. The unit comes with pin-type battery cable lugs. Features include built-in electronic GFCI, overload protection, low battery alarm / shut down, low idle power draw of less than 0.5 Amps. AC power is available from a NEMA-20R GFCI duplex outlet on the front panel. Safety certified to UL standards.

[Product Manual](#)

[Product Specifications](#)

1000 Watt Pure Sine Wave Inverter SLI-PST-1000-12

This high efficiency DC-AC inverter converts 12 Volts DC to 1000 Watts of pure sine-wave AC power at 120 Volts, 60 Hz. The unit comes with pin-type battery cable lugs. Features include overload protection, low battery alarm / shut down, low idle power draw of less than 0.85 Amps. AC power is available from a NEMA-20R GFCI duplex outlet on the front panel. Safety certified to UL standards.

[Product Manual](#)

[Product Specifications](#)

1500 Watt Pure Sine Wave Inverter SLI-PST-1500-12

This high efficiency DC-AC inverter converts 12 Volts DC to 1500 Watts of pure sine-wave AC power at 120 Volts, 60 Hz. The unit comes with pin-type battery cable lugs or can be hard-wired. Features include overload protection, low battery alarm / shut down, low idle power draw of less than 1 Amp. AC power is available from a NEMA-20R GFCI duplex outlet on the front panel. Safety certified to UL standards.

[Product Manual](#)

[Product Specifications](#)

2000 Watt Pure Sine Wave Inverter SLI-PST-2000-12

This high efficiency DC-AC inverter converts 12 Volts DC to 2000 Watts of pure sine-wave AC power at 120 Volts, 60 Hz. The unit comes with pin-type battery cable lugs. Features include overload protection, low battery alarm / shut down, low idle power draw of less than 1 Amp. AC power is available from a NEMA-20R GFCI duplex outlet on the front panel. Safety certified to UL standards.

[Product Manual](#)

[Product Specifications](#)

Remote Control for PST-600 and PST-1000 Inverters SLI-RC-15A

Optional remote control for use with PST Series 600 and 1000 Watt inverter models.

[Product Manual](#)

[Product Specifications](#)

Remote Control for PST-1500-12 and PST-2000-12 Inverters SLI-RC-200

Optional wired remote control for use with PST Series 1500 and 2000 Watt inverter models.

[Product Manual](#)

[Product Specifications](#)